




1. Andate alla pagina che segue




2. Loggatevi



3. Cliccate sul tasto: Enable an Api



4. Mettete ad ON la voce relativa a YouTube Data API v3



5. Cliccate su Credentials (sul menu a sinistra)

The screenshot shows the Google Developers Console interface. The left sidebar contains a navigation menu with categories: API Project, APIs & auth, Monitoring, Source Code, Compute, Networking, Storage, Big Data, and Support. The 'APIs & auth' section is expanded, showing 'APIs', 'Credentials', 'Consent screen', and 'Push'. The main content area is titled 'Enabled APIs' and includes a welcome message. Below this, there is a table of enabled APIs, with 'YouTube Data API v3' listed as 'ON'. A 'Browse APIs' section follows, featuring a search filter and a table of various APIs with their respective quotas and status (all 'OFF').


NAME	QUOTA	STATUS
YouTube Data API v3		ON

NAME	QUOTA	STATUS
Ad Exchange Buyer API	1,000 requests/day	OFF
Ad Exchange Seller API	10,000 requests/day	OFF
Admin SDK	150,000 requests/day	OFF
AdSense Host API	100,000 requests/day	OFF
AdSense Management API	10,000 requests/day	OFF
Analytics API	50,000 requests/day	OFF
Apps Activity API	10,000,000 requests/day	OFF


6. Cliccate su Create new Key

The screenshot shows the Google Developers Console interface with the 'Credentials' section selected in the left sidebar. The main content area is titled 'OAuth' and includes a description of OAuth 2.0 and a 'Create new Client ID' button. Below this, the 'Public API access' section is visible, with a description and a 'Create new Key' button. The URL in the browser address bar is `https://console.developers.google.com/project/1038786654596/apiui/credential?authuser=0`.


7. Cliccate su Browser Key



8. Inserite il sito dove è hostata la lista



9. Prendete nota dei valori API KEY , e REFERERS , perché li andremo ad inserire dentro script.js




The screenshot shows the Google Developers Console interface. The left sidebar contains navigation options: Projects, API Project, APIs & auth, APIs, Credentials, Consent screen, Push, Monitoring, Source Code, Compute, Networking, Storage, Big Data, Support, Need help?, and Privacy & terms. The main content area is titled 'API Project' and includes a 'Create new Client ID' button. Below this, there is a section for 'Public API access' with a 'Create new Key' button. The 'Key for browser applications' section displays a table with the following data:


API KEY	SyCTHUGopM
REFERERS	ornito.altervista.org
ACTIVATION DATE	Dec 10, 2014, 6:58:00 AM
ACTIVATED BY	(you)

Below the table are three buttons: 'Edit allowed referers', 'Regenerate key', and 'Delete'.

10. Scaricate <http://xdccmanage.altervista.org/fix/script.js>



The screenshot shows a Chromium browser window with the title 'Nuova scheda - Chromium'. The address bar contains the URL <http://xdccmanage.altervista.org/fix/script.js>. The browser's taskbar at the bottom shows various icons and the system tray with the time 17.04.




Sei passato in modalità di navigazione in incognito

Le pagine visualizzate nelle schede in incognito non vengono memorizzate nella cronologia del browser, nell'archivio di cookie o nella cronologia delle ricerche dopo avere chiuso **tutte** le schede in incognito. I file scaricati o i Preferiti creati verranno conservati. [Ulteriori informazioni sulla navigazione in incognito](#)

Se navighi in incognito, la tua navigazione non viene nascosta al tuo datore di lavoro, al provider di servizi Internet o ai siti web che visiti.

11. Apriamo script.js appena scaricato, e configuriamolo: ad Host andremo a mettere il valore di REFERERS ad apiKey il valore di API KEY.

Salvate le modifiche, e sostituite il vecchio script.js con questo.



```
1 var popupStatus = 0,
2 host = "TUO HOST(SITO DELLA LISTA)",
3 apiKey = "TUA API KEY";
4
5 function disableList(classe) {
6
7     if( classe == undefined )
8         $('.filtri input').removeAttr('disabled');
9     else
10    {
11        $('.filtri input:not(.'+classe+')').removeAttr('disabled');
12        $('.'+classe).attr('disabled', 'disabled');
13    }
14
15    $('#container_vetrina').slideUp('slow');
16    $('#ancora').fadeOut('slow');
17    $('#sub-main-content').css('display', 'none');
18    $('#altririsultati').css('display', 'none');
19    $('#sub-main-ricerca').empty();
20    $('#sub-main-ricerca').css('display', 'block');
21    $('.filtri').css('display', 'block');
22 }
23
24 function loadLoading() {
25     //loads popup only if it is disabled
26     if( popupStatus == 0 ) {
27         $('#backgroundPopup').css('opacity', '0.85');
28         $('#backgroundPopup').fadeIn('slow');
29         $('#loading').fadeIn('slow');
30         popupStatus = 1;
31     }
32 }
33
34 function disableLoading() {
35     //disables popup only if it is enabled
36     if( popupStatus == 1 ) {
```

Se qualcosa non è chiaro, joina #xdccmanage su irc.chlame.net